

**1\* Intro.** This is a trivial program to make data for SAT-TOMOGRAPHY. It uses the first  $m$  rows and first  $n$  columns of the image supplied on *stdin*. That image is like the ones accepted by LIFE: It has asterisks where pixels are to be 1.

It also produces an additional output file */tmp/list*, containing ‘ $\sim ixj$ ’ for every asterisk in row  $i$ , column  $j$ .

In addition to the line totals, it also gives the number of occurrences of ‘11’ as a substring (for input to SAT-TOMOGRAPHY-2ND).

```
#define mmax 100 /* max rows */
#define nmax 100 /* max columns */
#define bufsize nmax + 2 /* leave room for '\n' and '\0' */
#include <stdio.h>
#include <stdlib.h>
char rast[mmax][nmax];
char buf[nmax + 2];
int m, n; /* command-line parameters */
FILE *list_file;

main(int argc, char *argv[])
{
    register int d, j, k, jmax, kmax, t, tt;
    <Check the command line 2>;
    <Open the auxiliary output file 3>;
    <Input the raster 4>;
    <Output the counts 5*>;
}
```

2. <Check the command line 2>  $\equiv$   
**if** ( $argc \neq 3 \vee sscanf(argv[1], "%d", &m) \neq 1 \vee sscanf(argv[2], "%d", &n) \neq 1$ ) {  
     *fprintf(stderr, "Usage: %s %m %n <foo.dots> foo.tom\n", argv[0]);*  
     *exit(-1);*  
}

This code is used in section 1\*.

3. <Open the auxiliary output file 3>  $\equiv$   
*list\_file = fopen("/tmp/list", "w");*  
**if** ( $\neg list\_file$ ) {  
     *fprintf(stderr, "I can't open '/tmp/list' for writing!\n");*  
     *exit(-999);*  
}

This code is used in section 1\*.

## 4. ⟨Input the raster 4⟩ ≡

```

kmax = 0;
for (j = 0; j < mmax; j++) {
  if (!fgets(buf, bufsize, stdin)) break;
  for (k = 0; k < nmax; k++) {
    if (buf[k] == '\n') break;
    rast[j][k] = (buf[k] == '*');
    if (rast[j][k]) fprintf(list_file, "%dx%d\n", j + 1, k + 1);
    if (k > kmax & rast[j][k]) kmax = k;
  }
}
jmax = j - 1;
fprintf(stderr, "OK, I've input an image with %d rows and %d columns.\n", jmax + 1, kmax + 1);
if (m ≤ 0 ∨ m > jmax + 1) {
  fprintf(stderr, "So your m is out of range!\n"), exit(-2);
}
if (n ≤ 0 ∨ n > kmax + 1) {
  fprintf(stderr, "So your n is out of range!\n"), exit(-3);
}

```

This code is used in section 1\*.

## 5\* ⟨Output the counts 5\*⟩ ≡

```

for (j = 0; j < m; j++) {
  for (t = tt = 0, k = 0; k < n; k++) t += rast[j][k], tt += (k < n - 1 ? rast[j][k] * rast[j][k + 1] : 0);
  printf("r%d=%d,%d\n", j + 1, t, tt);
}
for (k = 0; k < n; k++) {
  for (t = tt = 0, j = 0; j < m; j++) t += rast[j][k], tt += (j < m - 1 ? rast[j][k] * rast[j + 1][k] : 0);
  printf("c%d=%d,%d\n", k + 1, t, tt);
}
for (d = 1; d < m + n; d++) {
  for (t = tt = 0, j = 0; j < m; j++) {
    k = d - 1 - j;
    if (k ≥ 0 ∧ k < n) t += rast[j][k], tt += (j < m - 1 ∧ k > 0 ? rast[j][k] * rast[j + 1][k - 1] : 0);
  }
  printf("a%d=%d,%d\n", d, t, tt);
}
for (d = 1; d < m + n; d++) {
  for (t = tt = 0, j = 0; j < m; j++) {
    k = j + n - d;
    if (k ≥ 0 ∧ k < n) t += rast[j][k], tt += (j < m - 1 ∧ k < n - 1 ? rast[j][k] * rast[j + 1][k + 1] : 0);
  }
  printf("b%d=%d,%d\n", d, t, tt);
}

```

This code is used in section 1\*.

**6\* Index.**

The following sections were changed by the change file: 1, 5, 6.

*argc*: 1\*, 2.

*argv*: 1\*, 2.

*buf*: 1\*, 4.

*bufsize*: 1\*, 4.

*d*: 1\*

*exit*: 2, 3, 4.

*fgets*: 4.

*fopen*: 3.

*fprintf*: 2, 3, 4.

*j*: 1\*

*jmax*: 1\*, 4.

*k*: 1\*

*kmax*: 1\*, 4.

*list\_file*: 1\*, 3, 4.

*m*: 1\*

*main*: 1\*

*mmax*: 1\*, 4.

*n*: 1\*

*nmax*: 1\*, 4.

*printf*: 5\*

*rast*: 1\*, 4, 5\*

*scanf*: 2.

*stderr*: 2, 3, 4.

*stdin*: 1\*, 4.

*t*: 1\*

*tt*: 1\*, 5\*

- ⟨ Check the command line 2 ⟩ Used in section 1\*.
- ⟨ Input the raster 4 ⟩ Used in section 1\*.
- ⟨ Open the auxiliary output file 3 ⟩ Used in section 1\*.
- ⟨ Output the counts 5\* ⟩ Used in section 1\*.

# SAT-TOMOGRAPHY-PREP-2ND

|             | Section | Page |
|-------------|---------|------|
| Intro ..... | 1       | 1    |
| Index ..... | 6       | 3    |